

Workbook



Table of Contents


Potential	2
Potential	2

Electrostatic Pressure


Electrostatic Pressure

Questions


- 1) A Finite wire has charge Q evenly distributed along its length, L . Calculate the potential along the axis perpendicular to the wire. The origin is located at the midpoint of the wire.




- 2) Calculate the potential along a ring's axis of symmetry. The ring has radius R and charge density per unit length λ .



- 3) a. What is the potential? What is the charge distribution?
b. How much work is needed to bring a charge of $5C$ from infinity to $1.5R$?




- 4) Find the potential of the spherical shell of radius R , which has a charge Q . The charge is uniformly distributed throughout.




- 5) A conductive cylinder, of radius R and length L , has a charge of $-Q$. A thick conducting shell surrounds the cylinder. The inner radius of this shell is $2R$, the outer radius is at $3R$, and the length of this shell is also L . The thick shell has charge $-4Q$.

Around the thick shell is a thin, grounded conducting shell, of radius $4R$ and length L . We are told that $L \gg R$.


- What is the charge distribution of the system?
- What is the potential?
- A proton of mass m_p and charge $|e|$ is released from rest at a distance $r = 2R$.
What is the proton's velocity after a distance of R ?




- 6) A full sphere of radius R has uniform charge density per unit volume ρ . Calculate the electric field and the potential at each point.



- 7) An infinite plane has charge per unit area σ . A distance d above the plane there is a conducting sphere of radius R and charge Q . What is the potential difference between the plane and the sphere?



- 8) Calculate the potential difference between the two planes. One plane has uniform charge density σ , the other has uniform charge density $-\sigma$. The planes are a distance d from one another and their area A is significantly larger than the distance between them: $A \gg d$.



*For the solutions go see the videos